

TEST REPORTED: 17/06/2021  
 TEST RECEIVED: 08/06/2021  
 PATIENT NAME: SAMPLE PATIENT  
 PATIENT DOB:  
 GENDER: FEMALE

REPORT STATUS: COMPLETED  
 CLINICIAN NAME: SAMPLE CLINICIAN  
 ACCESSION NO:  
 SAMPLE TYPE: STOOL

Lab Director:  
 Eviatar Natan, PhD



## Immune

RESULTS:

RANGE:

Beta Defensin 2	5ng/g	NORMAL		<68ng/g
Secretory IgA	159ug/g	NORMAL		<188ug/g

## Inflammation

RESULTS:

RANGE:

Calprotectin	127ug/g	HIGH		<100ug/g
--------------	---------	------	--	----------

## Digestion

RESULTS:

RANGE:

Bile Acids	5466umol/L	HIGH		<3477umol/L
Pancreatic Elastase	162ug/g	LOW		>200ug/g

## Other

RESULTS:

RANGE:

FIT (Occult Blood)	0ug/g	NORMAL		<10ug/g
Zonulin	2ng/g	NORMAL		<100ng/g



Scan for more information and resources on GI EcologiX

**Disclaimer:** This test was developed, and its performance characteristics determined by Invivo Diagnostics. This test is not intended for use by consumers or physicians as a means to cure, treat, prevent, diagnose or mitigate any disease or other medical condition. The information contained in this document is in no way to be taken as prescriptive nor to replace the physicians duty of care and personalised care practices.

## Commensal Bacteria

RESULTS:

RANGE:

			0 - 4	5 - 8	9 - 12	13 - 16	17 - 20	
<i>Akkermansia muciniphila</i>	2.2							1.7-7.1
<i>Anaerostipes caccae</i>	5.9							3.0-7.3
<i>Bacteroides spp.</i>	16.4							14.8-17.5
<i>Bifidobacterium spp.</i>	12							7.3-16.3
<i>Blautia obeum</i>	9.4	LOW						15.5-17.9
<i>Coprococcus eutactus</i>	2.1	LOW						10.4-16.5
<i>Escherichia coli</i>	2.4	LOW						4.5-12.0
<i>Eubacterium rectale</i>	11.4							7.7-14.8
<i>Faecalibacterium prausnitzii</i>	17							14.2-18.3
<i>Lactobacillus spp.</i>	<DL	LOW						2.7-8.9
<i>Roseburia homini</i>	7							5.7-10.2
<i>Ruminococcus bromii</i>	15.6							14.2-17.7
<i>Subdoligranulum variabile</i>	6.3							6.3-12.5

## Bacteroides Sub Group

RESULTS:

RANGE:

			0 - 4	5 - 8	9 - 12	13 - 16	17 - 20	
<i>Bacteroides dorei</i>	15.3							6.1-17.0
<i>Bacteroides fragilis</i>	13.3							10.7-14.8
<i>Bacteroides ovatus</i>	1.1	LOW						3.5-9.2
<i>Bacteroides thetaiotaomicron</i>	8.8							6.2-12.5
<i>Bacteroides uniformis</i>	10.1	LOW						10.9-16.5
<i>Bacteroides vulgatus</i>	16.1							14.6-17.4



Scan for more information and resources on GI EcologiX

**Disclaimer:** This test was developed, and its performance characteristics determined by Invivo Diagnostics. This test is not intended for use by consumers or physicians as a means to cure, treat, prevent, diagnose or mitigate any disease or other medical condition. The information contained in this document is in no way to be taken as prescriptive nor to replace the physicians duty of care and personalised care practices.

## Gram Negative (-) Bacteria

	RESULTS:		RANGE:
<i>Bilophila wadsworthia</i>	7.4		2.4-9.5
<i>Citrobacter freundii</i>	<DL		<1.0
<i>Citrobacter koseri</i>	<DL		<DL
<i>Desulfovibrio spp.</i>	12.1	HIGH	<6.9
<i>Enterobacter cloacae</i>	<DL		<2.8
<i>Fusobacterium nucleatum</i>	0.9		<2.8
<i>Hafnia alvei</i>	<DL	LOW	0.8-9.0
<i>Klebsiella oxytoca</i>	<DL		<1.5
<i>Klebsiella pneumoniae</i>	<DL		<2.5
<i>Morganella morganii</i>	<DL		<0.5
<i>Oxalobacter formigenes</i>	<DL		<1.6
<i>Prevotella copri</i>	<DL		<11.4
<i>Proteus mirabilis</i>	<DL		<0.4
<i>Pseudomonas aeruginosa</i>	<DL		<0.7
<i>Serratia marcescens</i>	<DL		<0.4
<i>Veillonella spp.</i>	5.7		4.0-10.0



Scan for more information and resources on GI EcologiX

**Disclaimer:** This test was developed, and its performance characteristics determined by Invivo Diagnostics. This test is not intended for use by consumers or physicians as a means to cure, treat, prevent, diagnose or mitigate any disease or other medical condition. The information contained in this document is in no way to be taken as prescriptive nor to replace the physicians duty of care and personalised care practices.

## Gram Positive (+) Bacteria

	RESULTS:	RANGE:
<i>Clostridium perfringens</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <4.0
<i>Clostridium sporogenes</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <DL
<i>Enterococcus faecalis</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <3.0
<i>Enterococcus faecium</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <2.6
<i>Enterococcus gallinarum</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <0.9
<i>Methanobrevibacter smithii</i>	12.6 <b>HIGH</b>	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <8.3
<i>Mycobacterium avium</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <0.2
<i>Ruminococcus gnavus</i>	5.8	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   4.1-10.7
<i>Ruminococcus torques</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <2.3
<i>Staphylococcus aureus</i>	1.3	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <3.5
<i>Streptococcus agalactiae</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <0.9
<i>Streptococcus pneumoniae</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <0.1
<i>Streptococcus pyogenes</i>	<DL	0 - 4   5 - 8   9 - 12   13 - 16   17 - 20   <DL

## Helicobacter pylori

	RESULTS:	RANGE:
<i>Helicobacter pylori</i> Stool Antigen	<b>NEGATIVE</b>	NEGATIVE



Scan for more information and resources on GI EcologiX

**Disclaimer:** This test was developed, and its performance characteristics determined by Invivo Diagnostics. This test is not intended for use by consumers or physicians as a means to cure, treat, prevent, diagnose or mitigate any disease or other medical condition. The information contained in this document is in no way to be taken as prescriptive nor to replace the physicians duty of care and personalised care practices.

## Mycology

RESULTS:

RANGE:

			0 - 4	5 - 8	9 - 12	13 - 16	17 - 20	
<i>Aspergillus fumigatus</i>	<DL							<0.1
<i>Candida albicans</i>	<DL							<0.6
<i>Candida tropicalis</i>	<DL							<0.3
<i>Malassezia restricta</i>	<DL							<0.5

## Parasitology

RESULTS:

RANGE:

			0 - 4	5 - 8	9 - 12	13 - 16	17 - 20	
<i>Blastocystis hominis</i>	9.7	<b>HIGH</b>						< 6.4
<i>Dientamoeba fragilis</i>	<DL							< 12.5
<i>Entamoeba histolytica</i>	<DL							< DL
<i>Giardia lamblia</i>	<DL							< DL

## Bacterial Pathogens

RESULTS:

RANGE:

			0 - 4	5 - 8	9 - 12	13 - 16	17 - 20	
<i>B. fragilis</i> Enterotoxigenic	<DL							< DL
<i>Clostridium difficile</i>	<DL							< DL
<i>Clostridium difficile</i> (tox A)	<DL							< DL
<i>Clostridium difficile</i> (tox B)	<DL							< DL
<i>Yersinia enterocolitica</i>	<DL							< DL

The GI EcologiX™ profile utilises the highly sensitive quantitative PCR (qPCR) TaqMan technology for analysis of the gastrointestinal microbiota. Microbial genes of interest are quantified within a sample and their abundances are normalised to an endogenous and highly conserved gene. The qPCR results are therefore reported as the relative abundance of a microorganism as proportional to the whole microbial community.



Scan for more information and resources on GI EcologiX

**Disclaimer:** This test was developed, and its performance characteristics determined by Invivo Diagnostics. This test is not intended for use by consumers or physicians as a means to cure, treat, prevent, diagnose or mitigate any disease or other medical condition. The information contained in this document is in no way to be taken as prescriptive nor to replace the physicians duty of care and personalised care practices.